## **KOMATSU**

# Powertrain oil T010 & T030



Komatsu genuine powertrain oil

#### Powertrain oil TO10 & TO30


for powershift transmissions requiring specific friction performance

### Komatsu genuine powertrain oil




#### **Application**

 Komatsu genuine powertrain oil is a transmission fluid designed for powershift transmissions, steering boxes and final drives of construction and mining equipment. It can also be used in swing device.



#### FZG gear wear (ASTM D4998)

Evaluates gear tooth face wear resistance of fluids using A profile gears. The rig is operated at 100 rpm under constant load for 20 hours. A visual tooth surface rating and gear weight loss are measured.




Highly shear-stable viscosity of the product preserves the hydraulic pump's volumetric efficiency

#### Komatsu genuine powertrain oil

Komatsu genuine powertrain oil is a lubricant for off-highway machinery, designed to extend the machine life and oil drain intervals. The product is formulated with selected base oils associated to a robust chemistry. It provides better oxidation resistance and extra protection to the transmission components.

#### **Product benefits**

- Komatsu genuine powertrain oil is formulated with a high quality base oil with a high viscosity index and shear stability, even at high temperatures.
- The robust additive system ensures excellent oxidation resistance as well as excellent antiwear and extreme pressure protection.




#### **FZG scuffing load A/8.3/90 (DIN 51354)**


Evaluates gear tooth face scuffing resistance of fluids using A pro file gears. The rig is operated at 1450 rpm through up to 12 progressive load stages at 15-minute intervals and a fluid temperature of 90°C. Gear teeth are inspected after each load stage for scuffing.

Komatsu genuine powertrain oil TO10 & TO30 provides excellent gear wear protection and extreme pressure properties for long equipment life.

#### **Friction performance**


Komatsu genuine powertrain oil maintains appropriate and durable friction performance when subjected to extensive cyclic clutch engagement at elevated temperatures in-line with Komatsu performance specifications.








#### **Anti-corrosion and anti-rust performance**

Excellent anti-corrosion and anti-rust performance that provides maximum protection for steel and yellow metal (copper alloys) parts









Your Komatsu partner:	KOMATSU
·	komatsu.eu